

04 - Vehicle Quick Reference / Capacities and Recommended Fluids / Specifications

SPECIFICATIONS**2.0L Engine**

| Description | Capacities | Type | Part Number | Global Part Number |
|--|---|--|-------------|--------------------|
| Engine Oil With Filter | 5.5 Quarts / 5.2 Liters | SAE 0W-30 Mopar API SN 9.55535- GS1 MS- 90048 | 68291576AA | N/A |
| Cooling System * | Engine 2.2 Gallons / 8.6 Liters Intercooler 1.1 Gallons / 4.3 Liters | CUNA NC 956-16 ASTMD3306 MS.90032 Use rate 50% Not mixable with different formulation products. (*) For particularly harsh climate conditions, a mixture of 60% product and 40% distilled water is recommended. | 68163848AB | 68163848GB |
| Fuel Selection | 15.3 Gallons / 58 Liters | N/A | — | — |
| Spark Plugs | GAP 0.060** | We recommend you use MOPAR Spark Plugs. | 68292346AA | — |
| * Includes heater and coolant reservoir filled to MAX level. | | | | |
| ** Reference only, not adjustable. | | | | |

2.9L Engine

| Description | Capacities | Type | Part Number | Global Part Number |
|------------------------|---|--|-------------|--------------------|
| Engine Oil With Filter | 7.2 Quarts / 7 Liters | SAE 0W-40 Pennzoil Ultra API SN FPT 9.55535-Z2 MS-12991 | 68171066PB | 68171066GA |
| Cooling System * | 2.95 Quarts / 11.2 Liters Intercooler 1.4 Gallons / 5.5 Liters | CUNA NC 956-16 ASTMD3306 MS.90032 Use rate 50% Not mixable with different formulation products. (*) For particularly harsh climate conditions, a mixture of 60% product and 40% distilled water is recommended. | 68163848AB | 68163848GB |
| Fuel Selection | 15.3 Gallons / 58 Liters | N/A | — | — |
| Spark Plugs | GAP N/A | We recommend you use MOPAR Spark Plugs. | 68336994AA | — |

| Description | Capacities | Type | Part Number | Global Part Number |
|--|------------|------|-------------|--------------------|
| * Includes heater and coolant reservoir filled to MAX level. | | | | |

A/C Refrigerant System

| Description | Charge Amounts | Type | Part Number | Global Part Number |
|-------------|--|------|--------------------|--------------------|
| A/C System | Refrigerant R1234yf 1.18 lb / .535 kg | N/A | R1234yf 68224028AB | R1234yf 68224028GA |

Transmission

| Description | Capacities | Type | Part Number | Global Part Number |
|-------------|--|---------------------------|-------------|--------------------|
| Automatic | 2.0L RWD 9.9 Quarts / 9.4 Liters 2.0L AWD 9.8 Quarts / 9.3 Liters 2.9L RWD 9.5 Quarts / 9 Liters | ZF 8HP 50 - Synthetic ATF | 68218925AA | 68218925GA |

Chassis Systems

| Description | Capacities | Type | Part Number | Global Part Number |
|--|---|---|-------------|--------------------|
| RDU 195 Rear Differential Oil | 0.9 Quarts / 0.9 Liters | SAE 75W-85 synthetic lubricant FPW9.55550-DA9 | 68083381AA | 68083381GA |
| RDU 230-TV Rear Differential Oil | Main body: 0.8 Quarts / 0.8 Liters Left TV: 0.5 Quarts / 0.5 Liters Right TV: 0.6 Quarts / 0.6 Liters | SAE 75W-85 API GL-5 synthetic lubricant FPW9.55550-DA8 | 68083381AA | 68083381GA |
| RDU 230-LSD Rear Differential Oil | 0.9 Quarts / 0.9 Liters | SAE 75W-85 synthetic lubricant FPW9.55550-DA9 | 68083381AA | 68083381GA |
| RDU 210-eLSD Rear Differential Oil (if equipped) | 1.4 Quarts / 1.4 Liters | SAE 75W-85 synthetic lubricant | 68083381AA | 68083381GA |

| Description | Capacities | Type | Part Number | Global Part Number |
|--|----------------------------|---|-------------|--------------------|
| | | FPW9.55550-DA9 | | |
| RDU 210/215-LSD Rear Differential Oil | 1.1 Quarts / 1.1 Liters | SAE 75W-85 synthetic lubricant FPW9.55550-DA9 | 68083381AA | 68083381GA |
| Front Axle Differential | 0.5 Quarts / 0.5 Liters | SAE 75W-80 APL FPW9.55550-DA10 | 68339072AA | — |
| AWD System Transfer Case | 0.7 Quarts / 0.7 Liters | SAE 75W-80 APL FPW9.55550-DA10 | 68377611AA | — |
| Hydraulic Brake System | 0.9 Quarts / 0.9 Liters | DOT 4 MS.90039 | 04549625AD | 04549625GD |